

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3664	709/226.cds.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L2	3012	709/226.cds. and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L3	391	(Eilam.in. or Fong.in. or Hunt.in. or Kalantar.in. or Mummert.in. or Pershing.in.) and resourc\$4 and servic \$4 and (prov\$7 or allocat\$5) and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L4	614352	(resourc\$5 or servic \$5) same (provis\$7 or alloc\$7 or distribut \$7 or shar\$4 or manag\$7 or suppl\$5 or deploy\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L5	310998	(resourc\$5 or servic \$5) near5 (provis\$7 or alloc\$7 or distribut \$7 or shar\$4 or manag\$7 or suppl\$5 or deploy\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L6	298095	(resourc\$5 or servic \$5) near5 (configur \$7 or custom\$7 or initializ\$3 or reconfigur\$7 or reset \$3 or setup or set\$3 or tailor\$3 or attribute\$1 or value \$1 or variable\$1 or field\$1 or parameter \$1 or argument\$1 or parametre\$1 or setting\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59

L7	35764	(resourc\$5 or servic\$5) near5 (match\$3 or map\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L8	18038	L5 and L6 and L7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L9	117422	(resourc\$5 or servic\$5) near5 (structure or model or topology or organization or arrangement or configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L10	10495	L5 and L6 and L7 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L11	7261	L5 and L6 and L7 and L9 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L13	310998	(resourc\$5 or servic\$5) near5 (provis\$7 or alloc\$7 or distribut\$7 or shar\$4 or manag\$7 or suppl\$5 or deploy\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L14	298095	(resourc\$5 or servic\$5) near5 (configur\$7 or custom\$7 or initializ\$3 or reconfigur\$7 or reset\$3 or setup or set\$3 or tailor\$3 or attribute\$1 or value\$1 or variable\$1 or field\$1 or parameter\$1 or argument\$1 or parametre\$1 or setting\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59

L15	35764	(resourc\$5 or servic\$5) near5 (match\$3 or map\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L16	117422	(resourc\$5 or servic\$5) near5 (structure or model or topology or organization or arrangement or configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L17	666	L13 and L14 and L15 and L16 and (resource adj manager) and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L18	98	(resourc\$5 near3 instance) near5 (match\$3 or map\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L19	21	(request\$3 near3 resource adj structure) or (desir\$3 near3 resource adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L20	657	((action or instruction) adj set) and precondition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L21	31	((((action or instruction) adj set) same precondition) and (@ad < "20040211" or @rlad < "20040211"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L22	1399	((((action or instruction) adj set) same (precondition or requirement)) and (@ad < "20040211" or @rlad < "20040211"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59

L23	78075	(aggregat\$3 or gather\$3 or collect\$3 or collocat\$3 or colocat\$3 or assembl\$3 or pool\$3 or get or getting or accumul\$3 or acquir\$5 or acquis\$5 or procur\$5) near3 (action or instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L24	1849	((select\$3 or pick\$3 or choos\$3) near3 (action or instruction)) same (precondition or requirement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L25	277581	((execut\$3) near3 (action or instruction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L26	109	L23 and L24 and L25 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L27	342	((select\$3 or pick\$3 or choos\$3) near3 (action or instruction)) same ((precondition or requirement or prerequisite) near3 (satisf\$6 or conform\$3 or compl\$4 or compliance or meet\$3 or met))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L28	33	L23 and L27 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59

L29	525	((select\$3 or pick\$3 or choos\$3) near3 (action or instruction or task)) same ((precondition or requirement or prerequisite) near5 (satisf\$6 or conform \$3 or compl\$4 or compliance or meet \$3 or met))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L30	92695	(aggregat\$3 or gather\$3 or collect \$3 or collocat\$3 or colocat\$3 or assembl\$3 or pool\$3 or get or getting or accumulat\$3 or acquir\$5 or acquis\$5 or procur\$5) near3 (action or instruction or task)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L31	59	L30 and L29 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L32	9	((aggregat\$3 or gather\$3 or collect \$3 or collocat\$3 or colocat\$3 or assembl\$3 or pool\$3 or get or getting or accumulat\$3 or acquir\$5 or acquis\$5 or procur\$5) near3 (action or instruction or task)) same map \$5 same updat\$3 same resource same (server or application or module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59

L33	525	((select\$3 or pick\$3 or choos\$3) near3 (action or instruction or task)) same ((precondition or requirement or prerequisite) near5 (satisf\$6 or conform \$3 or compl\$4 or compliance or meet \$3 or met))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59
L34	92695	(aggregat\$3 or gather\$3 or collect \$3 or collocat\$3 or colocat\$3 or assembl\$3 or pool\$3 or get or getting or accumul\$3 or acquir\$5 or acquis\$5 or procur\$5) near3 (action or instruction or task)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/07 14:59

2/7/2009 3:07:01 PM

C:\Documents and Settings\vkrishnan\My Documents\EAST\Workspaces\10776705.wsp